

NOTIFICATION OF RESPIRABLE ASBESTOS FIBRE LEVELS AT MORE THAN 0.02 FIBRES/ML

NAF-01 DECEMBER 2011

The form is to be used by the licensed asbestos removalist to notify SafeWork NSW if respirable asbestos fibre levels are recorded at an asbestos removal area at more than 0.02 fibres/ml as required by the WHS Regulation.

How to fill in this form

Please refer to the *Guide for applicants for asbestos removalist and asbestos assessor licences and notifications* available on the SafeWork NSW website before completing this notification.

Please type directly into the form. When complete, save a copy before emailing or printing.

If completing by hand, please print clearly and mark box(es) with a tick where required.

For assistance call 13 10 50

Fees

There is no fee associated with this form.

Lodgement instructions

Email (preferred): adu@safework.nsw.gov.au

Post: Customer Experience, SafeWork NSW,
Locked Bag 2906, Lisarow, NSW 2252.

Email or post the application – do not send more than once.

Privacy compliance statement

This information is collected by SafeWork NSW (the Regulator) for the purposes of undertaking an evaluation, assessment and processing of a notification of demolition work under the WHS Regulation.

This information may also be used by the Regulator for the purposes of confirming applicant details, to establish and maintain an external database and to assist the Regulator and its inspectorate with its work generally. It may also be provided to other state, territory and the Commonwealth regulatory authorities.

Except for the purposes of prosecution and unless such disclosure is otherwise required by law, the information will not be accessed by other third parties in a way that would identify the individual without the consent of that individual.

You may also apply to the Regulator to access and correct any information about yourself if inaccurate, incomplete, not relevant or out of date. Applications should be made in writing to: Privacy Contact Officer, SafeWork NSW, Locked Bag 2906, Lisarow, NSW 2252.

SECTION 1. PREVIOUS NOTIFICATION

Has the asbestos removal work been notified to SafeWork NSW previously (ie notification of asbestos removal)?

Yes. Please complete the following.

No. You must complete a notification of asbestos removal in addition to this form.

Date of the telephone notification (DD/MM/YYYY)

Notification reference number (if known)

SECTION 2. DETAILS OF LICENSED ASBESTOS REMOVALIST

Name on the asbestos removalist licence State/territory or Commonwealth of issue

Licence number Business registration (trading name)

Class ABN

Class A (Friable asbestos)

Class B (Non friable asbestos) Daytime contact number Mobile number

Name of department of issue Email

SECTION 3. ADDRESS WHERE THE ASBESTOS IS BEING REMOVED**STREET ADDRESS** (MUST NOT BE A PO BOX)

Unit number/Street number/Property number
(include Lot or DP number if applicable)

Type of workplace (eg factory)

Street name

If the workplace is large, specify the location of the asbestos removal.

Suburb

State

Postcode

SECTION 4. AIR MONITORING REPORT

You must submit a copy of the air monitoring results.

I have attached a copy of the air monitoring results.

SECTION 5. APPLICANT'S DECLARATION

I, _____ (print name)

hereby declare:

- I have authority from the body corporate to complete and submit this notification (body corporate applicants)
- The information in this notification is true and correct to the best of my knowledge

- I consent to the Regulator making enquiries and exchanging information with work health and safety regulators in other states, territories and/or the Commonwealth regarding any matter relevant to this notification.

Applicant's signature

Date (DD/MM/YYYY)